

Thursday's Gossan Prospect – Cayley Lode Intercept Table

		MGA 94 zone 54					Intercept													
Hole id	Hole Type	East	North	Dip/ Azimuth	RL (m)	Total Depth (m)	From (m)	To (m)	Width (m)	Cu (%)	Au (g/t)	Ag (g/t)	Ni (%)							
SMD050	DD	642070	5836609	-60/59.5	264	132.6	19	28	9	0.32										
							62	94	32	5.88	1.00	58								
							82	94	12	14.3	2.26	145								
							85	87	2	40	3.00	517								
							96.7	101.1	4.4				3.98							
SMD051	DD	642160	5836476	-60/59.5	264	220.9	22	29	7	0.40										
							98	157	59	1.80	0.43	15.4								
							106.6	115.1	8.5	4.38	0.87	32.7								
							134.0	137.0	3.0	5.66	0.29	4.60								
							177.0	185	8.0	9.69	0.40	16.8								
SMD052	DD	642238	5836421	-60/59.5	264	271.7	25	92	67	0.38	0.10	2.5								
							Incl.	76	92	16	0.63	0.28	7.0							
							Incl.	77	84	7	0.98	0.23	12							
							SMD053	DD	642302	5836355	-60/59.5	264	273.6	30	52	22	0.37			
														176	178	2	1.17	1.23	4.1	
SMD054	DD	642048	5836641	-60/59.5	264	245.52	201	211.3	10.3	3.09	1.69	22.6								
							Incl.	202	207	5	5.81	3.20	43.6							
							and	203	204	1	8.42	1.77	97							
							and	204	205	1	2.91	8.69	23.9							
							Incl.	22	29	7	0.41									
SMD055	DD	642032	5836595	-60/59.5	264	169.9	55	57	2	1.89	0.56	16								
							Incl.	86	97	11	4.62	0.57	25							
							Incl.	90	97	7	7.10	0.72	39							
							92	95	3	10.87	0.67	52								
							96	101	5				1.42							
SMD056	DD	642031	5836590	-60/59.5	264	185.8	21.4	59	37.6	0.41										
							Incl.	24	29	5	1.00	0.32	7							
							78	83	5	1.37	0.17	8								
							156	157	1	1.18	0.72	8								
							162	163	1	3.64	0.60	43								
SMD057	DD	642386	5836309	-60/59.5	264	242.2	24	82	58	0.29										
							Incl.	79	82	3	1.68	0.18	8							
							157	165.3	8.3	1.65	0.23	7.2								
							Incl.	157	160	3	3.75	0.25	10.2							

Thursday's Gossan Prospect – Cayley Lode Intercept Table

		MGA 94 zone 54					Intercept						
Hole id	Hole Type	East	North	Dip/ Azimuth	RL (m)	Total Depth (m)	From (m)	To (m)	Width (m)	Cu (%)	Au (g/t)	Ag (g/t)	Ni (%)
SMD058	DD	642115	5836542	-60/59.5	264	140.5	19	48	29	0.37			
						Incl.	68	91	23	1.34	0.26	3.5	
							88	91	3	6.33	0.27	2.9	
SMD059	DD	642122	5836461	-60/59.5	264	317.8	21	22	1		3.15	25	
							22	39	17	0.41	0.23	4.5	
						Incl.	197	202	5	3.28	0.27	13	
							235	253	18	1.00	0.10	3	
							245.8	252.6	6.8	1.85	0.17	6	
SMD060	DD	642137	5836508	-60/59.5	264	203.2	19.2	135.4	102.3 ¹	0.68			
						Incl.	74	135.4	48.2 ²	1.04	0.31	14	
						Incl.	74	86	12	1.55	0.63	13	
						and	111	135.4	13.6 ³	1.90	0.38	33	
						Incl.	129	135.1	6.10	3.55	0.73	41	
							116.6	119	2.4 ⁴				1.20
SMD061	DD	642276	586435	-60/59.5	264	219.5	160.2	164.5	4.3	2.06	0.44	23	
SMD062	DD	642337	5836367	-60/59.5	264	227.70	128	131	3.0	2.43	0.25	11	
							156	162	6.0	3.95	0.38	16	
						Incl.	160	162	2.0	7.46	0.61	31	
						and	160	161	1.0	10.5	0.86	35	
SMD063	DD	642063	5836585	-60/59.5	264	162.7	21	40	19	0.30			
							106	107	1.0	1.10	0.16	5.5	
SMD064	DD	642041	5836619	-60/59.5	264	184.9	20	47	27	0.26			
							121	129	8.0	5.12	1.48	34	
						Incl.	128	129	1.0	26.8	8.48	201	
SMD065	DD	642427	5836356	-60/239.5	264	350	No Significant Results						
SMD066	DD	641936	5836807	-60/59.5	264	294	15	18	3		0.41		
							17	30	13	0.53	0.11	8.0	
SMD067	DD	641884	5836880	-60/59.5	264	236	16	34	18	0.43	0.35	13	
						Incl.	25	27	2.0	1.21	0.27	27	
							107	109	2.0	1.32		8	
SMD068	DD	642342	5836414	-60/239.5	264	342	50.3	102	51.7	0.39			
						Incl.	98	102	4	1.75	0.31	16	
							285	287	2	0.26	0.65	1.8	
SMD069	DD	641725	5837063	-60/59.5	264	130.7	22	37	15		0.12		
							26	37	11	0.32	0.12	6.7	

Thursday's Gossan Prospect – Cayley Lode Intercept Table

Hole id	Hole Type	MGA 94 zone 54					Intercept						
		East	North	Dip/ Azimuth	RL (m)	Total Depth (m)	From (m)	To (m)	Width (m)	Cu (%)	Au (g/t)	Ag (g/t)	Ni (%)
SMD070	DD	642199	5836451	-60/59.5	264	275.9	20	95	75.0	0.60	0.19	5	
						Incl.	65	84	19.0	1.48	0.40	15	
						and	69.3	73	3.7	6.02	1.18	66	
						and	71	72	1.0	9.23	2.67	125	
SMD071	DD	642616	5835650	-60/59.5	264	426.6	No Significant Results						
SMD072	DD	641585	5837196	-60/59.5	264	100.9	No Significant Results						
SMD073	DD	641473	5837155	-60/59.5	264	409.9	149	153	4.0	1.31	0.31	6	
						Incl.	359	364	5.0	0.25	1.67	27	
							361.1	362	0.9	0.42	4.58	51	
SMD074	DD	642162	5836437	-60/59.5	264	302	25	59	34.0	0.32			
						Incl.	176	183.6	7.6	1.36	0.24	7	
							193	197.7	4.3 ⁵	1.94	0.27	10	
							213	234.3	21.3	1.31	0.43	6	
SMD076	DD	642174	5836523	-60/59.5	264	198.4	128	144	16	1.01	0.24	6.5	
						Incl.	139	144	5	2.42	0.55	14	
SMD078	DD	642237	5836464	-60/59.5	264	274.9	227.2	231	3.8	4.97	3.08	81	
SMD079	DD	642099	5836496	-60/59.5	264	306.7	24	41	17	0.31			
						Incl.	86	87	1	1.29	0.41	9	
							141	144	3	1.38	0.15	5	
							153	154	1	1.16	0.31	8	
							159	161	2	0.64	1.82	8.4	
							207.9	211	3.1	3.16	0.70	30	
SMD080	DD	642196	5836406	-60/59.5	264	309.3	23	25	2	1.75			
						Incl.	25	52	27	0.58			
							154	157.95	3.95	3.78	0.43	54	
							156	157.95	1.95	7.02	0.35	102	
							189	196	7	1.07	0.26	23	
							224.2	230.6	6.4	2.71	0.52	8.3	
SMD082	DD	642264	5836342	-60/59.5	264	313.4	32	117.3	85.3	0.82			
						Incl.	99	117.3	18.3	2.56	0.16	9.4	
						Incl.	104.5	116	11.5	3.76	0.23	14	
							243	247.8	4.8	2.42	0.31	25	
SMD083	DD	642599	5835995	-60/49.5	264	433.1	29	41	12	0.29			
SMD084	DD	642236	5836364	-60/59.5	264	278.1	43	72	29	0.44			
						Incl.	132	201	69	1.00	0.18	5.4	
						Incl.	157	201	44	1.43	0.26	7.3	
						Incl.	197	201	4	4.16	0.61	23	

Thursday's Gossan Prospect – Cayley Lode Intercept Table

		MGA 94 zone 54					Intercept							
Hole id	Hole Type	East	North	Dip/ Azimuth	RL (m)	Total Depth (m)	From (m)	To (m)	Width (m)	Cu (%)	Au (g/t)	Ag (g/t)	Ni (%)	
SMD085	DD	642444	5836022	-60/49.5	264	522.3	28	67	39	0.41				
							339	362	23	1.07	0.11			
							Incl.	357	361	4	4.44	0.26	7.9	
							Incl.	358	359	1	9.44	0.22	6.4	
SMD086	DD	642465	5836370	-60/239.5	264	385.9	142	154	12	1.01	0.18	2.6		
							Incl.	149	153	4	2.33	0.42	5.3	
								261	262	1	2.17	7.06	7.9	
								301	308	7	0.16	0.48	15	0.32
								318	321	3	0.49	0.29	3.4	
								326	327	1	5.90	0.33	47	
SMD087	DD	642060	5836522	-60/59.5	264	268.3	24	40	16	0.37				
								140	227 ⁶	87	1.74	0.57	20	
							Incl.	163	187	24	4.19	1.27	53	
							and	170	172	2	11.75	1.45	66	
							and	181.7	183.2	1.5	13.28	2.58	209	
							and	185.6	186.4	0.8	24.1	1.16	249	
							and	185	187	2	9.95	0.71	107	0.89
							Incl.	218	227	9	4.09	1.83	39	
and	226	227	1	1.30	10.05	48								
SMD088	DD	642427	5836445	-60/239.5	264	405.5	212.3	242.3	30	1.98	0.23	9.1		
							Incl.	216	226.8	10.8	3.20	0.31	16	
							and	233.2	239	5.8	3.54	0.43	14	
								319.5	370	50.5	0.88	0.11	3.8	
							Incl.	319.5	331.2	11.7	1.42	0.15	4.5	
							and	342	357.6	15.6	1.26	0.17	5.0	
and	365.6	370	4.4	1.61	0.20	5.7								
SMD089	DD	642502	5836384	-60/239.5	262	502.1	87	98.8	11.8	1.54	0.42	14		
							Incl.	91	94	3	3.28	1.09	34	
								214	233.9	19.9	2.40	0.35	17	
							Incl.	219	226.1	7.1	4.30	0.52	35	
							Incl.	219	222	3	6.02	0.71	52	
								271	280.7	9.7	3.10	0.97	26	
							Incl.	273	275	2	7.86	2.09	88	
							Incl.	273	274	1	11.05	2.73	131	

Thursday's Gossan Prospect – Cayley Lode Intercept Table

Hole id	Hole Type	MGA 94 zone 54					Intercept						
		East	North	Dip/ Azimuth	RL (m)	Total Depth (m)	From (m)	To (m)	Width (m)	Cu (%)	Au (g/t)	Ag (g/t)	Ni (%)
SMD090	DD	642068	5836563	-60/59.5	262	213.8	23	58	35	0.40			
						Incl.	54	56	2	1.10	1.06	18	
SMD091	DD	642374	5836383	-60/59.5	262	191	No Significant Results						
SMD092	DD	642346	5836411	-60/59.5	262	222	No Significant Results						
SMD093	DD	642153	5836294	-60/59.5	262	515.1	35	334.7	299.7	0.40			
						Incl.	35	99	64	0.68			
						Incl.	36	54	18	1.11			
							304.6	334.7	30.1	1.44	0.21	4.4	
						Incl.	306	310	4	3.17	0.26	7.5	
SMD094	DD	642205	5836237	-60/59.5	262	608.3	50	103	53	0.39			
							347	351.9	4.9	2.14	0.33	9.8	
SMD095	DD	642205	5836237	-60/59.5	262	304.6	28	78	50	0.40			
							224	234	10	2.33	0.45	20	
SMD096	DD	642319	5836284	-60/71.5	262	287.7	33	58	25	0.52			
							152	154	2	1.25		10	
							220	235	15	3.26	0.62	16	
							220	235	15	3.59	2.73	18	
							Incl.	222	223	1	2.41	24.6	16.5
SMD097	DD	642319	5836284	-60/88.5	262	298.6	38	56	18	0.63			
							255.8	260.6	4.8	3.56	0.46	29	
SMD098	DD	642102	5836364	-60/59.5	262	449.1	64	89	25	0.26			
SMD099	DD	642063	5836352	-60/59.5	262	531	51	131	80	0.31			
							183	184	1	1.79	0.47	6.4	
SMD100	DD	642396	5836495	-60/239	259	451.8	118	121.6	3.6	0.34	0.21	13	
							222	226	4	0.20	0.51	2.7	
							297	305	8	0.66	0.27	7.2	
							332.2	341	8.8	1.57	0.24	4.5	
SMD101	DD	642044	5836427	-70/59	260	379.7	24	40	16		0.21	3.9	
							31	51	20	0.61			
							93	94	1	1.22	0.17	9.7	
							144	149	5	0.30	0.11	2.2	

Thursday's Gossan Prospect – Cayley Lode Intercept Table

Hole id	Hole Type	MGA 94 zone 54					Intercept							
		East	North	Dip/ Azimuth	RL (m)	Total Depth (m)	From (m)	To (m)	Width (m)	Cu (%)	Au (g/t)	Ag (g/t)	Ni (%)	
SMD102	DD	642471	5836355	-60/223	260	350.6	50	54	4	0.16				
							134	177	43	0.24				
							248.1	253	4.9	1.54	0.29	4.8		
							270	290	20	0.25				
							320	321	1	1.13	1.44	4.4		
SMD103	DD	642196	5836425	-60/59	261	214.6	24.4	59.6	35.2	0.25				
							24.4	190	165.6	0.33				
							Incl.	24.4	59.6	35.2	0.25			
							and	117	147.2	30.2	0.35	0.17	2	
							Incl.	185	188	3	5.52	0.45	10	
SMD104	DD	642225	5836386	-60/59	261	285.6	35	179	144	1.04	0.15	3.4		
							Incl.	95	179	84	1.55	0.23	5.0	
							Incl.	151	179	28	3.31	0.49	7.1	
SMD105	DD	642009	5836628	-60/59	258	315.6	22	29	7	0.30				
							126	139	13	0.40	0.37	8		
SMD106	DD	642015	5836661	-60/59	258	193.8	85 ⁷	133	48	1.39	6.33	12		
							Incl.	115 ⁸	131.7	16.7	3.13	17.93	29	
							Incl.	116	118	2	0.74	132	38	
							and.	130.8	131.7	0.9	21.10	17.45	232	
SMD107	DD	642471	5836359	-60/59	260	232.8	26	60	34	0.61	0.07	14		
							45	53	8	1.37	0.18	40		
							Incl.	46	49	3	2.51	0.36	63	
SMD108	DD	642031	5836548	-60/59	260	310.7	22	90	68	0.27				
							150.9	172.6	21.7	2.06	0.53	17		
							Incl.	164.9	171.2	6.3	3.57	1.17	25	
							254.6	264.6	10	1.33	0.16	7.8		
							Incl.	255.2	259.6	4.4	2.24	0.29	12	
SMD109	DD	642261	5836257	-60/59	260	399.2	35	77	42	0.53				
							262	265	3	1.35	0.20	2.7		
							283.5	295	11.5	2.74	0.35	4.5		
							Incl.	292	294.1	2.1	7.25	0.67	11	

Thursday's Gossan Prospect – Cayley Lode Intercept Table

		MGA 94 zone 54					Intercept						
Hole id	Hole Type	East	North	Dip/ Azimuth	RL (m)	Total Depth (m)	From (m)	To (m)	Width (m)	Cu (%)	Au (g/t)	Ag (g/t)	Ni (%)
SMD110	DD	642000	5836699	-60/59	260	252.4	20	65	45	0.28			
						Incl.	33	41	8	0.44	0.20	2.5	
							97	106	9	2.34	0.56	12	
						Incl.	102	105	3	4.50	0.87	17	
SMD111	DD	641977	5836648	-60/59	260	294.2	36.7	87	50.3	0.27	0.14	2.5	
						Incl.	83	87	4	0.82	0.97	10	
							131	166	35	0.46	0.92	9.4	
						Incl. and	131	148	17	0.42	1.34	10	
						164	166	2	2.85	2.25	45		
SMD112	DD	641971	5836718	-60/59	260	274.4	119.6	147.6	28	0.79	0.16	5.4	
						Incl.	134.1	146	11.9	1.56	0.29	12	
						Incl.	135	139	4	2.49	0.41	19	
SMD113	DD	642031	5836553	-58/56	260	280.3	25	71	46	0.35			
							153	174	21	0.50	0.15	6.5	
							230	239.9	9.9	1.08	0.06	5.9	
SMD114	DD	641558	5835953	-65/59	260	1844.8	Assays Pending						
SMD115	DD	641995	5836579	-60/59	261	296.3	23	62	39	0.26			
SMD116	DD	641972	5836613	-60/58	261	304.2	23	72	49	0.35		2.7	
SMD117	DD	641940	5835842	-60/58	261	1711.8	Assays Pending						
SMD118	DD	641936	5836691	-60/52	261	247.9	No Significant Results						
SMD119	DD	641927	5836771	-60/59	262	246.5	No Significant Results						
SMD120	DD	641896	5836793	-62/58	261	233	No Significant Results						
SMD121	DD	641875	5836711	-60/60	261	292.9	26	41	15	0.31			
							104	177	73	0.64	0.70	6.8	
						Incl.	110.4	112	1.6	1.72	20.47	30	
						and	150	177	27	1.04	0.46	11	
						Incl.	170	177	7	2.56	1.00	19	
						246	247	1	1.67	0.18	39.4		
SMD122	DD	641926	5836671	-60/58	261	292.6	21	27	6	0.32	0.15	1.4	
							101	119	18	0.26		25	
							158	160	2	0.26	1.71	7.3	
							172	189	17	0.65	0.13	10	

Thursday's Gossan Prospect – Cayley Lode Intercept Table

Hole id	Hole Type	MGA 94 zone 54					Intercept							
		East	North	Dip/ Azimuth	RL (m)	Total Depth (m)	From (m)	To (m)	Width (m)	Cu (%)	Au (g/t)	Ag (g/t)	Ni (%)	
SMD123	DD	642209	5836316	-60/59	261	380.1	31	78	47	0.59				
							Incl.	52	62	10	1.15		1.6	
								231	233	2	1.73			
SMD124	DD	641858	5836779	-60/59	261	242.8	16	24	8	0.41				
SMD125	DD	641885	5836827	-60/59	261	168.5	122	135	13		0.41	12		
SMD126	DD	641846	5836813	-60/59	257	248	No significant results							
SMD127	DD	641849	5836739	-60/59	258	289.9	22	44	22	0.37				
							Incl.	126	200.8	74.8	0.37	0.23	5.9	
							Incl.	151	159	8	1.36	0.81	17	
							Incl.	156	158	2	2.78	1.26	33	
							and	199.3	200.8	1.5	2.46	0.81	37	
SMD128	DD	641887	5836759	-60/59	257	256.5	No Significant Results							
SMD129	DD	641821	5836766	-60/59	258	269.7	No Significant Results							
SMD130	DD	641824	5836837	-60/59	260	234.5	Assays Pending							
SMD131	DD	641851	5836885	-60/59	262	196.6	Assays Pending							
SMD132	DD	641898	5836677	-60/53	261	302.8	Assays Pending							
SMD133	DD	641858	5836854	-60/59	261	214.7	96	112	16	0.34	0.24	6.5		
SMD134	DD	641806	5836878	-60/59	261	184.6	101	149.8	44.2 ⁹	0.61	0.26	6.2		
							Incl.	134	149.8	11.2 ⁹	1.71	0.59	17	
							Incl.	148.4	149.8	1.4	3.18	0.39	44	
SMD135	DD	641773	5836945	-60/59	261	188.8	66.6	93	26.4 ¹⁰	1.17	0.17	8		
							Incl.	66.6	73	6.4 ¹⁰	4.02	0.50	29	
							Incl.	67.3	68.3	1	21.2	1.75	142	
							Incl.	121	134	13	1.54	2.2	203	
							Incl.	133	134	1	10.05	25.2	2540	
SMD136	DD	641736	5836932	-60/59	261	273.4	Assays Pending							
SMD137	DD	641731	5837009	-60/59	257	211	Assays Pending							
SMD138	DD	641691	5836994	-60/59	258	249.3	Assays Pending							
SMD139	DD	641728	5836900	-60/59	258	240.5	Assays Pending							
SMD140	DD	641801	5836887	-60/59	257	264	37	57	20	0.27				
							Incl.	93.8	143	49.2	0.96	0.28	11	
							Incl.	94.4	97	2.6	2.16	0.55	10	
							and	114	118	4	2.42	0.56	25	
							and	127	136	9	1.95	0.43	17	

Thursday's Gossan Prospect – Cayley Lode Intercept Table

Hole id	Hole Type	MGA 94 zone 54					Intercept							
		East	North	Dip/ Azimuth	RL (m)	Total Depth (m)	From (m)	To (m)	Width (m)	Cu (%)	Au (g/t)	Ag (g/t)	Ni (%)	
SMD141	DD	641704	5837042	-60/59	257	237.2	Assays Pending							
SMD142	DD	641685	5837073	-60/59	257	232.9	Assays Pending							
SMD143	DD	641665	5837027	-60/59	258	249.4	Assays Pending							
SMD144	DD	641661	5836957	-60/130	259	279.4	Assays Pending							
SMD145	DD	641648	5837059	-60/59	257	264.3	Assays Pending							
SMD146	DD	641777	5836855	-60/59	257	298.9	Assays Pending							
SMD147	DD	641799	5836823	-60/59	257	316.9	Assays Pending							
SMD148	DD	641981	5836424	-60/59	257	651.5	Assays Pending							
SMD149	DD	641930	5836640	-60/59	257	326.5	Assays Pending							
SMD150	DD	641815	5836800	-60/59	257	278.5	Assays Pending							
SMD151	DD	642129	5836210	-60/59	257	901.4	77	194	117	0.48				
							Incl.	78	99	21	1.38			
								410	418	8	1.04	0.10	6	
SMD152	DD	642196	5836351	-60/59	257	354.2	26.7	138	111.3	0.35				
							Incl.	27.6	35	7.4	1.44			
								219	283.1	64.1	1.04	0.13	3.5	
							Incl.	219	237	18	1.49	0.10	4.0	
							and	249	254	5	1.65	0.27	5.6	
							and	273.4	283.1	9.7	2.48	0.38	8.6	
SMD153	DD	642029	5836513	-60/59	257	19.1	Hole abandoned – no samples							
SMD154	DD	641845	5836570	-60/59	262	451	Assays Pending							
SMD155	DD	641903	5836490	-60/59	262	463.6	Assays Pending							
SMD156	DD	642157	5836387	-60/59	262	355.9	Assays Pending							
SMD156W1	DD	642157	5836387	-60/59	262	291.1	Assays Pending							
SMD157	DD	642077	5836264	-60/59	262	533.2	Assays Pending							
SMD158	DD	642054	5836182	-60/59	262	669.4	Assays Pending							
SMD159	DD	642536	5836394	-60/180	262	642.6	Assays Pending							
SMD160	DD	642167	5836085	-60/49	262	717.5	Assays Pending							
SMS001D	Sonic/ DD	642197	5836489	-60/59.5	264	212	No Significant Results							
SMS002AD	Sonic/ DD	642275	5836478	-60/59.5	264	105.4	No Significant Results							
SMS003	Sonic	642207	5836523	-60/59.5	264	97	No Significant Results							
SMS004	Sonic	642150	5836555	-60/59.5	264	131.5	No Significant Results							
SMS005	Sonic	642125	5836587	-60/59.5	264	85.5	No Significant Results							

Thursday's Gossan Prospect – Cayley Lode Intercept Table

MGA 94 zone 54							Intercept						
Hole id	Hole Type	East	North	Dip/ Azimuth	RL (m)	Total Depth (m)	From (m)	To (m)	Width (m)	Cu (%)	Au (g/t)	Ag (g/t)	Ni (%)
SMS006	Sonic	642102	5836620	-60/59.5	264	76	3	51	48		0.29		
						Incl.	19	51	32	0.26			
						Incl.	45	47	2	1.42	0.32	12	
SMS007	Sonic	642085	5836654	-60/59.5	264	64	13	39	26		0.77		
						Incl.	22	42	20	1.36	0.85	12	
							24	39	15	1.68	1.09	14	
							42	45	3				1.46
SMS008	Sonic	642055	5836680	-60/59.5	264	64	20	45	25	0.45			
						Incl.	20	23	3	1.13	1.01	16	
SMS009	Sonic	642011	5836730	-60/59.5	264	54	32	54	22	0.69	0.13	3.6	
						Incl.	51	54	3	1.87	0.47	16	
SMS009A	Sonic	642011	5836730	-60/59.5	264	80	43	49	6	3.00	0.59	15	
SMS010	Sonic	642083	5836614	-60/59.5	264	83	20	79	59	0.44	0.20	2.2	
						Incl.	38	41	3	1.33	0.84	6.5	
SMS011	Sonic	642106	5836581	-60/59.5	264	88	22	42	20	0.31			
SMS012	Sonic	642193	5836530	-60/239.5	261	80	43	77	34	0.90	0.24		
						Incl.	46	55	9	2.24	0.67	18.0	
							52	55	3	5.20	1.46	30.0	
SMS013	Sonic	642212	5836497	-60/234.5	262	58	10	40	30		0.23		
						Incl.	31	40	9	1.13	0.60	4.2	
							38	39	1	3.52	2.53	14	

Note all new results are in bold. Chalcocite Blanket results are shown in blue.

1. Excluding 13.9m of core loss
2. Excluding 13.2m of core loss
3. Excluding 10.8m of core loss
4. 1.8m of core loss immediately above this interval
5. 0.4m of core loss included in this interval
6. 0.3m of core loss included in this interval
7. 0.6m core loss included in this interval
8. 0.3m core loss included in this interval
9. 4.6m core loss included in this interval
10. 0.5m core loss included in this interval